



C.I.Agent® Sheen Boom



Newtown Creek, Brooklyn, New York



Polypropylene Boom to be replaced at Newtown Creek.



First Sheen Boom deployed in the out-fall of a major power plant.

PRODUCT DESCRIPTION:

C.I.Agent® Sheen Boom is a device especially designed to collect sheen and hydrocarbons from the surface of water where there are issues with currents and/or wind. The Sheen Boom is constructed from a special high tensile screen that allows hydrocarbons to enter into the boom and be solidified by a proprietary blend of large and small polymers. The C.I.Agent® Sheen Boom will not allow the hydrocarbons to leach out of the back side of the boom like polypropylene booms.

The C.I.Agent® Sheen Boom is reusable until it becomes solid; simply rinse dirt and debris from the surface and redeploy as needed.

PRODUCT APPLICATIONS:

C.I.Agent® Sheen Boom is ideal to keep sheen from leaving retention ponds and entering spillways or storm drains. The boom can be placed across or around water intakes as well as out-falls; and at fueling docks on waterways where there is current.

PERFORMANCE SPECIFICATIONS:

A PVC coated screen with great tensile strength. Dusting is part of the solution. After wetting, the dusting will stop.

BENEFITS:

- Long lasting.
- Cleanable.
- Could last up to several years.
- Recyclable.
- Reusable.

AVAILABILITY:

C.I.Agent® Sheen Booms come in 3" diameter and 5, 10, 15, 20, and 25 ft. lengths. Strapping is placed per customer's request. A nylon rope can be run through the center.

For additional information contact C.I.Agent® Solutions.

